







2141 Second Avenue S.W.
 Cullman, Alabama 35055
 800.438.1606 Toll Free
 256.739.6827 Tel. | 256.739.5657 Fax

17600 Badtke Road
 Hockley, TX 77447
 1.866.749.COMP (2667) Toll Free
 281.213.6100 Tel. | 281.213.6101 Fax

3387 Davey Allison Blvd.
 Hueytown, AL 35023
 1.877.887.4247 Toll Free
 205.744.1561 Tel. | 205.744.1562 Fax

www.inlandbuildings.com

TRIM

| ITEM | DESCRIPTION | | | | PRICE PER EACH | |
|--|--|--------|---------|--------|----------------|-------|
| | PART NUMBER | LENGTH | GIRTH | WEIGHT | GALVALUME® | SMP |
| RIDGE CAP  Specify roof slope. | AR-100 | 10'-2" | 14" | 7.69# | 26.60 | 33.55 |
| | AR-101 | 10'-2" | 20" | 10.98# | 35.25 | 45.15 |
| RIDGE CAP  Specify roof slope. | AR-102 | 10'-2" | 20 1/2" | 11.26# | 35.95 | 46.15 |
| | AR-103 | 10'-2" | 10" | 5.49# | 20.80 | 25.75 |
| FLAT RIDGE/HIP  Specify roof slope. | AR-104 | 10'-2" | 9 3/8" | 5.15# | 25.00 | 29.65 |
| | CORNER TRIM - OUTSIDE  | | | | | |








2141 Second Avenue S.W.
 Cullman, Alabama 35055
 800.438.1606 Toll Free
 256.739.6827 Tel. | 256.739.5657 Fax

17600 Badtke Road
 Hockley, TX 77447
 1.866.749.COMP (2667) Toll Free
 281.213.6100 Tel. | 281.213.6101 Fax

3387 Davey Allison Blvd.
 Hueytown, AL 35023
 1.877.887.4247 Toll Free
 205.744.1561 Tel. | 205.744.1562 Fax

www.inlandbuildings.com

TRIM

| ITEM | DESCRIPTION | | | | PRICE PER EACH | |
|---|-------------|--------|----------|--------|----------------|-------|
| | PART NUMBER | LENGTH | GIRTH | WEIGHT | GALVALUME® | SMP |
| RAKE/OUTSIDE CORNER  | AR-105A | 10'-2" | 12 5/8" | 6.94# | 29.70 | 35.95 |
| | AR-105B | 20'-2" | 12 5/8" | 13.75# | 47.60 | 60.05 |
| | | | | | | |
| RAKE TRIM  | AR-106A | 10'-2" | 11 5/16" | 6.21# | 26.50 | 32.15 |
| | AR-106B | 20'-2" | 11 5/16" | 12.31# | 42.60 | 53.70 |
| | | | | | | |
| SIMPLE RAKE TRIM  | AR-107 | 10'-2" | 6 1/4" | 3.44# | 14.15 | 17.25 |
| | | | | | | |
| CORNER TRIM - INSIDE  | AR-108 | 10'-2" | 12 5/8" | 6.94# | 29.70 | 35.95 |
| | | | | | | |
| EAVE TRIM FLAT  <p>Specify roof slope.</p> | AR-109A | 10'-2" | 10" | 5.49# | 18.25 | 23.25 |
| | AR-109B | 20'-2" | 10" | 10.89# | 32.50 | 42.30 |
| | | | | | | |








2141 Second Avenue S.W.
 Cullman, Alabama 35055
 800.438.1606 Toll Free
 256.739.6827 Tel. | 256.739.5657 Fax

17600 Badtke Road
 Hockley, TX 77447
 1.866.749.COMP (2667) Toll Free
 281.213.6100 Tel. | 281.213.6101 Fax

3387 Davey Allison Blvd.
 Hueytown, AL 35023
 1.877.887.4247 Toll Free
 205.744.1561 Tel. | 205.744.1562 Fax

www.inlandbuildings.com

TRIM

| ITEM | DESCRIPTION | | | | PRICE PER EACH | |
|---|-------------|--------|---------|--------|----------------|-------|
| | PART NUMBER | LENGTH | GIRTH | WEIGHT | GALVALUME® | SMP |
| EAVE TRIM  Specify roof slope. | AR-110A | 10'-2" | 8" | 4.40# | 16.65 | 20.60 |
| | AR-110B | 20'-2" | 8" | 8.72# | 28.00 | 35.90 |
| | | | | | | |
| EAVE FACIA TRIM  Specify roof slope. | AR-111A | 10'-2" | 9 5/8" | 5.39# | 20.25 | 25.05 |
| | AR-111B | 20'-2" | 9 5/8" | 10.69# | 33.95 | 43.40 |
| | | | | | | |
| EAVE DRIP TRIM  Specify roof slope. | AR-112A | 10'-2" | 11 5/8" | 6.39# | 24.45 | 30.20 |
| | AR-112B | 20'-2" | 11 5/8" | 12.91# | 40.95 | 52.40 |
| | | | | | | |
| VALLEY TRIM  Specify roof slope. | AR-113A | 10'-2" | 21" | 11.53# | 39.25 | 49.65 |
| | AR-113B | 20'-2" | 21" | 22.87# | 69.05 | 89.75 |
| | | | | | | |
| BASE TRIM  | AR-114 | 10'-2" | 5 1/4" | 2.89# | 12.70 | 15.30 |
| | | | | | | |








2141 Second Avenue S.W.
 Cullman, Alabama 35055
 800.438.1606 Toll Free
 256.739.6827 Tel. | 256.739.5657 Fax

17600 Badtke Road
 Hockley, TX 77447
 1.866.749.COMP (2667) Toll Free
 281.213.6100 Tel. | 281.213.6101 Fax

3387 Davey Allison Blvd.
 Hueytown, AL 35023
 1.877.887.4247 Toll Free
 205.744.1561 Tel. | 205.744.1562 Fax

www.inlandbuildings.com

TRIM

| ITEM | DESCRIPTION | | | | PRICE PER EACH | |
|---|-------------|--------|---------|--------|----------------|-------|
| | PART NUMBER | LENGTH | GIRTH | WEIGHT | GALVALUME® | SMP |
| HIGH SIDE EAVE  Specify roof slope. | AR-115A | 10'-2" | 11 5/8" | 6.39# | 24.45 | 30.20 |
| | AR-115B | 20'-2" | 11 5/8" | 12.91# | 40.95 | 52.40 |
| | | | | | | |
| JAMB/HEAD TRIM  | AR-116 | 10'-2" | 4 1/2" | 2.47# | 11.60 | 13.85 |
| | | | | | | |
| DOUBLE ANGLE TRIM  | AR-117 | 10'-2" | 3 1/8" | 1.72# | 9.60 | 11.15 |
| | | | | | | |
| ANGLE TRIM  Specify color side | AR-118 | 10'-2" | 4 1/2" | 2.47# | 7.80 | 10.00 |
| | | | | | | |
| 2 X 2 OUTSIDE ANGLE  | AR-119 | 10'-2" | 5" | 2.75# | 13.60 | 16.05 |
| | | | | | | |








2141 Second Avenue S.W.
 Cullman, Alabama 35055
 800.438.1606 Toll Free
 256.739.6827 Tel. | 256.739.5657 Fax

17600 Badtke Road
 Hockley, TX 77447
 1.866.749.COMP (2667) Toll Free
 281.213.6100 Tel. | 281.213.6101 Fax

3387 Davey Allison Blvd.
 Hueytown, AL 35023
 1.877.887.4247 Toll Free
 205.744.1561 Tel. | 205.744.1562 Fax

www.inlandbuildings.com

TRIM

| ITEM | DESCRIPTION | | | | PRICE PER EACH | |
|--|-------------|--------|-------|--------|----------------|-------|
| | PART NUMBER | LENGTH | GIRTH | WEIGHT | GALVALUME® | SMP |
| 2 X 2 INSIDE ANGLE  | AR-120 | 10'-2" | 5" | 2.75# | 13.60 | 16.05 |
| | | | | | | |
| 3 X 3 OUTSIDE ANGLE  | AR-121 | 10'-2" | 7" | 3.85# | 16.50 | 19.95 |
| | | | | | | |
| 3 X 3 INSIDE ANGLE  | AR-122 | 10'-2" | 7" | 3.85# | 16.50 | 19.95 |
| | | | | | | |
| 4 X 4 OUTSIDE ANGLE  | AR-123 | 10'-2" | 9" | 4.94# | 19.35 | 23.85 |
| | | | | | | |
| 4 X 4 INSIDE ANGLE  | AR-124 | 10'-2" | 9" | 4.94# | 19.35 | 23.85 |
| | | | | | | |








2141 Second Avenue S.W.
 Cullman, Alabama 35055
 800.438.1606 Toll Free
 256.739.6827 Tel. | 256.739.5657 Fax

17600 Badtke Road
 Hockley, TX 77447
 1.866.749.COMP (2667) Toll Free
 281.213.6100 Tel. | 281.213.6101 Fax

3387 Davey Allison Blvd.
 Hueytown, AL 35023
 1.877.887.4247 Toll Free
 205.744.1561 Tel. | 205.744.1562 Fax

www.inlandbuildings.com

TRIM

| ITEM | DESCRIPTION | | | | PRICE PER EACH | |
|--|-------------|--------|----------|--------|----------------|-------|
| | PART NUMBER | LENGTH | GIRTH | WEIGHT | GALVALUME® | SMP |
| BASE TRIM  | AR-125 | 10'-2" | 4 1/8" | 2.27# | 11.05 | 13.10 |
| | | | | | | |
| TRANSITION TRIM  Specify roof slope. | AR-126A | 10'-2" | 8 1/2" | 4.67# | 16.10 | 20.30 |
| | AR-126B | 20'-2" | 8 1/2" | 9.26# | 28.20 | 36.55 |
| | | | | | | |
| ROOF CONVERSION TRIM  | AR-127A | 10'-2" | 9 11/16" | 5.30# | 20.35 | 25.15 |
| | AR-127A | 20'-2" | 9 11/16" | 10.55# | 34.10 | 43.65 |
| | | | | | | |
| SLIDE DOOR HOOD  | AR-128 | 10'-2" | 9 1/4" | 5.08# | 18.45 | 23.05 |
| | | | | | | |
| BOX EAVE GUTTER  Specify roof slope. | AR-129A | 10'-2" | 20 3/4" | 11.39# | 37.60 | 47.90 |
| | AR-129B | 20'-2" | 20 3/4" | 24.30# | 67.05 | 87.50 |
| | | | | | | |








2141 Second Avenue S.W.
 Cullman, Alabama 35055
 800.438.1606 Toll Free
 256.739.6827 Tel. | 256.739.5657 Fax

17600 Badtke Road
 Hockley, TX 77447
 1.866.749.COMP (2667) Toll Free
 281.213.6100 Tel. | 281.213.6101 Fax

3387 Davey Allison Blvd.
 Hueytown, AL 35023
 1.877.887.4247 Toll Free
 205.744.1561 Tel. | 205.744.1562 Fax

www.inlandbuildings.com

TRIM

| ITEM | DESCRIPTION | | | | PRICE PER EACH | |
|--|--|---------|--------|--------|----------------|-------|
| | PART NUMBER | | | WEIGHT | GALVALUME® | SMP |
| GUTTER ENDS  Specify left or right. | AR-130 | | | .21# | 8.05 | 9.35 |
| | GUTTER STRAP  | FL-38 | 1'-0" | 2½" | .23# | 1.60 |
| DOWNSPOUT (STRAIGHT)  | | AR-131A | 10'-0" | 16 ¾" | 9.10# | 30.05 |
| | AR-131B | 12'-0" | 16 ¾" | 10.92# | 36.05 | 45.85 |
| | AR-131C | 14'-0" | 16 ¾" | 12.74# | 42.05 | 53.50 |
| | AR-131D | 16'-0" | 16 ¾" | 14.56# | 48.10 | 61.15 |
| | AR-131E | 20'-0" | 16 ¾" | 18.20# | 60.10 | 76.45 |
| | DOWNSPOUT (W/45° ELBOW)  | AR-132A | 10'-0" | 16 ¾" | 9.10# | 37.55 |
| AR-132B | | 12'-0" | 16 ¾" | 10.92# | 43.55 | 53.35 |
| AR-132C | | 14'-0" | 16 ¾" | 12.74# | 49.55 | 61.00 |
| AR-132D | | 16'-0" | 16 ¾" | 14.56# | 55.60 | 68.65 |
| AR-132E | | 20'-0" | 16 ¾" | 18.20# | 67.60 | 83.95 |
| DOWNSPOUT ELBOW  | | AR-133A | 7" | 16 ¾" | 1.07# | 16.70 |
| | AR-133B | 7" | 16 ¾" | 1.07# | 16.70 | 18.25 |




2141 Second Avenue S.W.
 Cullman, Alabama 35055
 800.438.1606 Toll Free
 256.739.6827 Tel. | 256.739.5657 Fax

17600 Badtke Road
 Hockley, TX 77447
 1.866.749.COMP (2667) Toll Free
 281.213.6100 Tel. | 281.213.6101 Fax

3387 Davey Allison Blvd.
 Hueytown, AL 35023
 1.877.887.4247 Toll Free
 205.744.1561 Tel. | 205.744.1562 Fax

www.inlandbuildings.com

TRIM

| DOWNSPOUT OFFSET  | PART | LENGTH | GIRTH | WEIGHT | GALVALUME® | SMP |
|---|---------|----------------|---------|-----------|------------|-------|
| | NUMBER | | | | | |
| | AR-134A | 6" - 5'-0" | 16 3/4" | .91# (FT) | 36.65 | 40.70 |
| | AR-134B | 5'-1" - 10'-0" | 16 3/4" | .91# (FT) | 51.50 | 58.50 |
| NOTE: Specify DIM. A (Slope Dimension) | | | | | | |

TRIM PRICING:

- All SMP colors are 26 gauge.
- All GALVALUME® is 26 gauge.
- When ordering standard trim in custom lengths, use price per linear foot for standard trim (10'0") plus a 10% surcharge.
- Prices do not include standard packaging.

PACKAGING COST:

- Trim with girth greater than 15" 20 pieces/carton
- Trim with girth less than 15" 50 pieces/carton
- Downspouts..... 12/carton
- Standard Packaging: 500# test cardboard with protective interleaf and metal bands \$21.20 (10') \$35.40 (21')
- Paper wrap only (For customer pick-up only) \$5.00 (10') \$10.00 (21')
- LTL Packaging: 500# test cardboard with protective interleaf, wood blocks and metal bands. \$42.40 (10') \$70.65 (21')
- Plywood crating \$8.25/linear foot
- Special Packaging Please Inquire.

DELIVERY:

- 29 gauge stock colors (see color chart) Approximately 3 Working Days
- Other gauges, colors, and metals Please Inquire.

SPECIAL TRIM PRICING

FORMULA FOR PRICING SPECIAL TRIM

Use the following formula to calculate the Price Per Foot of Trim:

Girth of Material x Price per Inch of Girth + Price per Number of Breaks

Price per Inch of Girth - 26 Gauge (GALVALUME) ~ \$0.17

- 26 Gauge (SMP COLOR) ~ \$0.22

Price per Break (Hem equals two breaks) ~ \$0.10

- All trim to be 26 gauge material unless noted otherwise.
- Customer drawing or sketch of special trim must be in our possession for order to be processed.
- Specify the side with the finish color.
- If more than one special trim is required, number each piece SF1, SF2, SF3, etc.
- Tapered trim requirements: \$15.00 Set-Up charge per section - NO EXCEPTIONS. Drawings must be furnished by customer and be "shop ready".
- 5'-0 minimum length.



2141 Second Avenue S.W.
 Cullman, Alabama 35055
 800.438.1606 Toll Free
 256.739.6827 Tel. | 256.739.5657 Fax

17600 Badtke Road
 Hockley, TX 77447
 1.866.749.COMP (2667) Toll Free
 281.213.6100 Tel. | 281.213.6101 Fax


3387 Davey Allison Blvd.
 Hueytown, AL 35023
 1.877.887.4247 Toll Free
 205.744.1561 Tel. | 205.744.1562 Fax

www.inlandbuildings.com

ANGLE CHART FOR ROOF LINE TRIM




Hip




Valley



Ridge



Gutter



Transition



Inside

| | Roof Slope | | | | | | | | | | | |
|-----------------------|------------|------|------|------|------|------|------|------|------|-------|-------|-------|
| | 1:12 | 2:12 | 3:12 | 4:12 | 5:12 | 6:12 | 7:12 | 8:12 | 9:12 | 10:12 | 11:12 | 12:12 |
| Hip | 173° | 166° | 160° | 154° | 148° | 143° | 138° | 133° | 129° | 126° | 123° | 120° |
| Valley | 117° | 113° | 110° | 107° | 104° | 102° | 99° | 97° | 95° | 93° | 92° | 90° |
| Ridge | 170° | 161° | 152° | 143° | 135° | 127° | 120° | 113° | 106° | 100° | 95° | 90° |
| Gutter and Transition | 94° | 99° | 104° | 108° | 112° | 116° | 120° | 123° | 126° | 129° | 132° | 135° |
| Inside | 86° | 81° | 76° | 72° | 68° | 64° | 60° | 57° | 54° | 51° | 48° | 45° |

This chart assumes the roof slopes are the same on both sides of the hip, valley, or ridge line.
 Contact your salesperson if the roof slopes are different.

